

YUMUŞAK ve SERT AYAKLAR GRUBU

www.ozkayali.com.tr

SOFT JAWS and HARD
JAWS


THE POWER OF
QUALITY
KALİTENİN GÜCÜ



 **Özkayali®**

Standart Yumuşak Ayaklar


Standart Soft Jaws



| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | Ağırlık Weight Kg | |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|----|----|----|-------------------------|-----|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | | d |
| YU 040 | 4" | 1.5 X 60° | 23 | 52 | 23 | 13 | 14 | 10 | 4 | 5 | 10 | 14 | 9 | 0,5 |
| YU 050 | 5" | 1.5 X 60° | 30 | 62 | 25 | 21 | 14 | 10 | 4 | 5 | 10 | 14 | 9 | 1 |
| YU 060 | 6" | 1.5 X 60° | 32 | 72 | 30 | 20 | 20 | 12 | 5 | 10 | 15 | 17 | 11 | 1,5 |
| YU 080 | 8" | 1.5 X 60° | 37 | 95 | 35 | 22 | 25 | 14 | 5 | 12 | 25 | 19 | 13 | 2,5 |
| YU 0100 | 10" | 1.5 X 60° | 42 | 110 | 40 | 29 | 30 | 16 | 5 | 14 | 30 | 19 | 13 | 3,5 |
| YU 0120 | 12" | 1.5 X 60° | 52 | 130 | 50 | 32 | 30 | 18 | 5 | 16 | 30 | 23 | 15 | 7 |
| YU 01200 | 12" | 1.5 X 60° | 52 | 130 | 50 | 32 | 30 | 21 | 5 | 16 | 30 | 25 | 17 | 6,5 |
| YU 0150 | 15" | 1.5 X 60° | 60 | 165 | 60 | 40 | 43 | 22 | 8 | 20 | 37 | 32 | 21 | 12 |
| YU 02100 | 21" | 3.0 X 60° | 70 | 180 | 65 | 45 | 60 | 25 | 9 | - | 40 | 32 | 21 | 18 |

Standart Yumuşak Ayaklar Sivri Model


Standart Soft Jaws Pointed Type



| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | | Ağırlık Weight Kg |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|-----|----|----|----|-------------------------|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | d | |
| YU 060S | 6" | 1.5 X 60° | 32 | 72 | 30 | 20 | 20 | 12 | 5 | 1 | 15 | 17 | 11 | 1,5 |
| YU 080S | 8" | 1.5 X 60° | 37 | 95 | 35 | 22 | 25 | 14 | 5 | 1,5 | 15 | 19 | 13 | 2,5 |
| YU 0100S | 10" | 1.5 X 60° | 42 | 110 | 40 | 29 | 30 | 16 | 5 | 1,5 | 15 | 19 | 13 | 3,5 |

Standart Yumuşak Ayaklar 4 lü Model


Standart Soft Jaws 4 Type



| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | Ağırlık Weight Kg | |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|----|----|----|-------------------------|-----|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | | d |
| YU 460 | 6" | 1.5 X 60° | 32 | 72 | 30 | 20 | 20 | 12 | 5 | 10 | 15 | 17 | 11 | 2 |
| YU 480 | 8" | 1.5 X 60° | 37 | 95 | 35 | 22 | 25 | 14 | 5 | 12 | 25 | 19 | 13 | 3,5 |
| YU 1004 | 10" | 1.5 X 60° | 42 | 110 | 40 | 29 | 30 | 16 | 5 | 14 | 30 | 19 | 13 | 5 |
| YU 124 | 12" | 1.5 X 60° | 52 | 130 | 50 | 32 | 30 | 18 | 5 | 16 | 30 | 23 | 15 | 9 |
| YU 1240 | 12" | 1.5 X 60° | 52 | 130 | 50 | 32 | 30 | 21 | 5 | 16 | 30 | 25 | 17 | 9 |
| YU 154 | 15" | 1.5 X 60° | 60 | 165 | 60 | 40 | 43 | 22 | 8 | 20 | 37 | 32 | 21 | 16 |

Uzun Model Yumuşak Ayaklar

Long Type Soft Jaws




| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | Ağırlık Weight Kg | |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|----|----|----|-------------------------|------|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | | d |
| EU 060 | 6" | 1.5 X 60° | 32 | 90 | 30 | 22 | 20 | 12 | 5 | 10 | 15 | 17 | 11 | 2 |
| EU 080 | 8" | 1.5 X 60° | 37 | 115 | 35 | 22 | 25 | 14 | 5 | 12 | 25 | 19 | 13 | 3 |
| EU 0100 | 10" | 1.5 X 60° | 42 | 130 | 40 | 29 | 30 | 16 | 5 | 14 | 30 | 19 | 13 | 5 |
| EU 01200 | 12" | 1.5 X 60° | 52 | 150 | 50 | 32 | 30 | 21 | 5 | 16 | 30 | 23 | 15 | 8 |
| EU 0150 | 15" | 1.5 X 60° | 60 | 190 | 60 | 40 | 43 | 22 | 8 | 20 | 37 | 32 | 21 | 14 |
| EU 02100 | 21" | 3.0 X 60° | 70 | 200 | 65 | 45 | 60 | 25 | 9 | - | 40 | 32 | 21 | 19,5 |

Yüksek Yumuşak Ayaklar Model 01

High Soft Jaws Type 01


Y- / Series



| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | Ağırlık Weight Kg | |
|----------------------------|------------------------|--------------------------|-----|-----|----|----|----|----|----|----|----|----|-------------------------|-----|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | | d |
| Y - 060 | 6" | 1.5 X 60° | 57 | 72 | 30 | 47 | 20 | 12 | 5 | 10 | 15 | 17 | 11 | 2,5 |
| Y - 080 | 8" | 1.5 X 60° | 67 | 95 | 35 | 50 | 25 | 14 | 5 | 12 | 25 | 19 | 13 | 4,5 |
| Y - 0100 | 10" | 1.5 X 60° | 77 | 110 | 40 | 60 | 30 | 16 | 5 | 14 | 30 | 19 | 13 | 7 |
| Y - 0120 | 12" | 1.5 X 60° | 77 | 130 | 50 | 55 | 30 | 18 | 5 | 16 | 30 | 23 | 15 | 10 |
| Y - 01200 | 12" | 1.5 X 60° | 77 | 130 | 50 | 55 | 30 | 21 | 5 | 16 | 30 | 25 | 17 | 10 |
| Y - 0150 | 15" | 1.5 X 60° | 100 | 165 | 60 | 60 | 43 | 22 | 8 | 20 | 37 | 32 | 21 | 20 |

Yüksek Yumuşak Ayaklar Model 02

High Soft Jaws Type 02




| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | Ağırlık Weight Kg | |
|----------------------------|------------------------|--------------------------|-----|-----|----|----|----|----|----|----|----|----|-------------------------|------|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | | d |
| EY 08100 | 8" | 1.5 X 60° | 100 | 95 | 35 | 50 | 25 | 14 | 5 | 12 | 25 | 19 | 13 | 7 |
| EY 08120 | 8" | 1.5 X 60° | 120 | 95 | 35 | 60 | 25 | 14 | 5 | 12 | 25 | 19 | 13 | 8 |
| EY 08130 | 8" | 1.5 X 60° | 130 | 95 | 35 | 65 | 25 | 14 | 5 | 12 | 25 | 19 | 13 | 9 |
| EY 10100 | 10" | 1.5 X 60° | 100 | 110 | 40 | 50 | 30 | 16 | 5 | 14 | 30 | 19 | 13 | 9 |
| EY 10120 | 10" | 1.5 X 60° | 120 | 110 | 40 | 60 | 30 | 16 | 5 | 14 | 30 | 19 | 13 | 11 |
| EY 10130 | 10" | 1.5 X 60° | 130 | 110 | 40 | 65 | 30 | 16 | 5 | 14 | 30 | 19 | 13 | 12 |
| EY 12100 | 12" | 1.5 X 60° | 100 | 130 | 50 | 50 | 30 | 21 | 5 | 16 | 30 | 25 | 17 | 13,5 |
| EY 12120 | 12" | 1.5 X 60° | 120 | 130 | 50 | 60 | 30 | 21 | 5 | 16 | 30 | 25 | 17 | 16 |
| EY 12130 | 12" | 1.5 X 60° | 130 | 130 | 50 | 65 | 30 | 21 | 5 | 16 | 30 | 25 | 17 | 17,5 |
| EY 15130 | 15" | 1.5 X 60° | 130 | 165 | 60 | 65 | 43 | 22 | 8 | 20 | 37 | 32 | 21 | 26 |
| EY 15150 | 15" | 1.5 X 60° | 150 | 165 | 60 | 75 | 43 | 22 | 8 | 20 | 37 | 32 | 21 | 30 |



Alüminyum Yumuşak Ayaklar

Aluminum Soft Jaws

AL / Series



| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | | Ağırlık Weight Kg |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|----|----|----|----|-------------------------|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | d | |
| AL 66006 | 6" | 1.5 X 60° | 32 | 72 | 30 | 22 | 20 | 12 | 5 | 10 | 15 | 17 | 11 | 0,7 |
| AL 66008 | 8" | 1.5 X 60° | 37 | 95 | 35 | 22 | 25 | 14 | 5 | 12 | 25 | 19 | 13 | 1 |
| AL 66010 | 10" | 1.5 X 60° | 42 | 110 | 40 | 29 | 30 | 16 | 5 | 14 | 30 | 19 | 13 | 1,5 |
| AL 66012 | 12" | 1.5 X 60° | 52 | 130 | 50 | 32 | 30 | 21 | 5 | 16 | 30 | 25 | 17 | 2 |




| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | | Ağırlık Weight Kg |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|----|----|----|----|-------------------------|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | d | |
| KY 66006 | 6" | 1.5 X 60° | 32 | 72 | 30 | 22 | 20 | 12 | 5 | 10 | 15 | 17 | 11 | 0,3 |
| KY 66008 | 8" | 1.5 X 60° | 37 | 95 | 35 | 22 | 25 | 14 | 5 | 12 | 25 | 19 | 13 | 0,5 |
| KY 66010 | 10" | 1.5 X 60° | 42 | 110 | 40 | 29 | 30 | 16 | 5 | 14 | 30 | 19 | 13 | 0,7 |
| KY 66012 | 12" | 1.5 X 60° | 52 | 130 | 50 | 32 | 30 | 21 | 5 | 16 | 30 | 25 | 17 | 1 |


INCH Yumuşak Ayaklar

INCH Soft Jaws

YA / Series



| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | Ağırlık Weight Kg | |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|----|----|----|-------------------------|-----|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | | d |
| YA16 | 6" | 1/16" x 90° | 35 | 70 | 30 | 25 | 16 | 14 | 5 | 14 | 16 | 17 | 11 | 1,5 |
| YA18 | 8" | 1/16" x 90° | 40 | 90 | 35 | 30 | 23 | 17 | 5 | 17 | 20 | 19 | 13 | 2,5 |
| YA10 | 10" | 1/16" x 90° | 45 | 110 | 45 | 33 | 30 | 21 | 6 | 21 | 20 | 25 | 17 | 4 |
| YA12 | 12" | 1/16" x 90° | 50 | 125 | 50 | 38 | 30 | 21 | 6 | 21 | 22 | 25 | 17 | 6 |




| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | Ağırlık Weight Kg | |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|----|----|----|-------------------------|-----|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | D | | d |
| YR6 | 6" | 1/16" x 90° | 40 | 72 | 35 | 30 | 19 | 17 | 5 | 17 | 12 | 19 | 13 | 2 |
| YR8 | 8" | 1/16" x 90° | 45 | 90 | 40 | 30 | 19 | 17 | 5 | 17 | 20 | 19 | 13 | 3 |
| YR10 | 10" | 1/16" x 90° | 55 | 110 | 45 | 40 | 25 | 21 | 5 | 21 | 25 | 25 | 17 | 5 |
| YR12 | 12" | 1/16" x 90° | 55 | 120 | 50 | 40 | 25 | 21 | 5 | 21 | 30 | 25 | 17 | 6,5 |


Daire Yumuşak Ayaklar

Circle Soft Jaws

DY / Series



| Sipariş Kodu Order Code | Ayna Çapı Chuck Dia | Dış Formu A Serration | Ölçüler / Dimensions | | | | | | | | | | | Ağırlık Weight Kg |
|----------------------------|------------------------|--------------------------|----------------------|----|----|----|----|----|----|-----|----|----|----|-------------------------|
| | | | L | L1 | L2 | L3 | L4 | L5 | L6 | D | d | D1 | d1 | |
| DY0660170 | 6" | 1.5X60° | 50 | 45 | 30 | 12 | 5 | 16 | 20 | 169 | 20 | 17 | 11 | 9,3 |
| DY0880210 | 8" | 1.5X60° | 70 | 65 | 35 | 14 | 5 | 19 | 25 | 205 | 20 | 19 | 13 | 20 |
| DY1080250 | 10" | 1.5X60° | 80 | 75 | 40 | 16 | 5 | 25 | 30 | 250 | 20 | 19 | 13 | 28 |
| DY1280300 | 12" | 1.5X60° | 90 | 85 | 50 | 21 | 5 | 33 | 30 | 300 | 20 | 25 | 17 | 39 |




| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | | | Ağırlık Weight Kg |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|----|----|----|----|----|-------------------------|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | L9 | D | d | |
| S050 | 5" | 1.5 X 60° | 28 | 53 | 23 | 19 | 14 | 10 | 4 | 14 | 10 | 6 | 14 | 9 | 0,5 |
| S060 | 6" | 1.5" X 60° | 36 | 72 | 30 | 25 | 20 | 12 | 5 | 17 | 10 | 11 | 17 | 11 | 1 |
| S080 | 8" | 1.5" X 60° | 47 | 90 | 35 | 35 | 25 | 14 | 5 | 19 | 11 | 13 | 19 | 13 | 2 |
| S0100 | 10" | 1.5" X 60° | 58 | 102 | 40 | 42 | 30 | 16 | 5 | 25 | 14 | 16 | 19 | 13 | 3,5 |
| S0120 | 12" | 1.5" X 60° | 63 | 110 | 50 | 48 | 30 | 21 | 5 | 20 | 15 | 19 | 25 | 17 | 10 |
| S0150 | 15" | 1.5" X 60° | 87 | 150 | 62 | 63 | 43 | 22 | 8 | 34 | 20 | 21 | 32 | 21 | 11,5 |


Sert Ayaklar 4 lü Model

Hard Jaws 4 Type

S / Series




| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | | | Ağırlık Weight (kg.) |
|----------------------------|------------------------|--------------------------|----|-----|----|----|----|----|----|----|----|----|----|----|----------------------------|
| | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | L9 | D | d | |
| S064 | 6" | 1.5" X 60° | 36 | 72 | 30 | 25 | 20 | 12 | 5 | 17 | 10 | 11 | 17 | 11 | 1,5 |
| S084 | 8" | 1.5" X 60° | 47 | 90 | 35 | 35 | 25 | 14 | 5 | 19 | 11 | 13 | 19 | 13 | 3 |
| S0104 | 10" | 1.5" X 60° | 58 | 102 | 40 | 42 | 30 | 16 | 5 | 25 | 14 | 16 | 19 | 13 | 4,5 |
| S0124 | 12" | 1.5" X 60° | 63 | 110 | 50 | 48 | 30 | 21 | 5 | 20 | 15 | 19 | 25 | 17 | 13,5 |
| S0154 | 15" | 1.5" X 60° | 87 | 150 | 62 | 63 | 43 | 22 | 8 | 34 | 20 | 21 | 32 | 21 | 15,5 |



| Sipariş Kodu Order Code | Ölçüler / Dimensions | | | | | | | | | | | | | Ağırlık Weight (kg.) |
|----------------------------|----------------------------|------------------------|--------------------------|----|----|----|----|----|-----|----|----|----|----|----------------------------|
| | Sıkma Çapı Gripping Dia | Ayna Çapı Chuck Dia | Diş Formu A Serration | L | L1 | L2 | L3 | L4 | L5 | L6 | L7 | D | d | |
| ST080110 | 80-110 | 6" | 1.5 X 60° | 58 | 32 | 30 | 14 | 25 | 7 | 12 | 5 | 17 | 11 | 1 |
| ST110135 | 110-135 | 8" | 1.5 X 60° | 67 | 37 | 35 | 20 | 22 | 85 | 14 | 5 | 19 | 13 | 2 |
| ST155190 | 155-190 | 10" | 1.5 X 60° | 72 | 42 | 40 | 25 | 29 | 10 | 16 | 6 | 19 | 13 | 3 |
| ST135195 | 135-195 | 12" | 1.5 X 60° | 90 | 55 | 50 | 30 | 33 | 125 | 21 | 6 | 25 | 17 | 4 |
| ST110140 | 110-140 | 6" | 1.5 X 60° | 59 | 37 | 30 | 14 | 25 | 7 | 12 | 5 | 17 | 11 | 1 |
| ST135165 | 135-165 | 8" | 1.5 X 60° | 76 | 48 | 35 | 22 | 35 | 85 | 14 | 5 | 19 | 13 | 1,5 |
| ST185220 | 185-220 | 10" | 1.5 X 60° | 77 | 58 | 40 | 29 | 42 | 10 | 16 | 6 | 19 | 13 | 3 |
| ST195260 | 195-260 | 12" | 1.5 X 60° | 88 | 63 | 50 | 30 | 48 | 125 | 21 | 6 | 25 | 17 | 4 |

Tırnaklı Sert Ayak Yükseltme Vidaları

Claw Hard Jaw Raising Screw



| Sipariş Kodu Order Code | H | H1 | M |
|----------------------------|----|----|----|
| STD0505 | 5 | 8 | M5 |
| STD0510 | 10 | 8 | M5 |
| STD0515 | 15 | 8 | M5 |
| STD0605 | 5 | 10 | M6 |
| STD0610 | 10 | 10 | M6 |
| STD0615 | 15 | 10 | M6 |
| STD0620 | 20 | 10 | M6 |
| STD0805 | 5 | 13 | M8 |
| STD0810 | 10 | 13 | M8 |
| STD0815 | 15 | 13 | M8 |
| STD0820 | 20 | 13 | M8 |
| STD0825 | 25 | 13 | M8 |